

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	717/151-161.ccls. and learn\$3 and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L2	520	717/151.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L3	1	self-optimize and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L4	22	(neural adj network) and learn\$3 and (self adj optim\$5) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L5	3998	706/12-44.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L6	2	command and learn\$3 and ((self adj optim\$5) near8 program) and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L8	1796	command with learning	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

EAST Search History

L9	7	(learn\$3 near5 (protocol algorithm)) and (self adj optim\$5) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L10	3998	706/12-44.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L11	110	command with (learning near8 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L12	3	((self adj optimiz\$3) near8 program) and (learning adj (algorithm protocol)) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L13	80	L8 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L14	2	command and (learning near8 program) and self-optimize	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L15	11	(learning with instruction with operation) with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

EAST Search History

L16	2978	learn\$3 near3 (command instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L17	3209	(input\$4 near command) near8 program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L18	15	L17 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L19	11	(5079690 4910660 4710864 472770 4368509).pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L20	63	(learning adj (instruction operation)) with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L21	98	(self adj (optim\$4 improv\$3 learn\$3) near8 (program object)) and (command instruction) and learn\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L22	609	(command instruction) with optimal and learn\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

EAST Search History

L23	50	L22 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L24	520	717/151.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L25	2	L22 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L26	605	(select\$3 rule reward) near5 command same (optimal optimize optimizing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L27	9	L17 and 717/151-161.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L28	53	learning with instruction with command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L29	4	L26 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51

EAST Search History

L30	15	self adj (optim\$4 improv\$3 learn\$3) near5 (software program object) and L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L31	1864	command same optim\$5 and learn\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L32	6	L31 and 717/151-161.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L33	1	(set and feedback) and "6144954".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L34	42	("3460096" "3466430" "3519998" "3576976" "3601811" "3694636" "3705409" "3794271" "4368509" "4472770" "4495559" "4517468" "4525775" "4649515" "4658370" "4697242" "4710864" "4829450" "4910660" "4935877" "5079690" "5136686" "5148513" "5263120" "5410634" "5487134" "5842193" "5905977" "6003143" "6006213" "6061675" "6073126").PN. OR ("6144954").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L35	11	command and learn\$3 and L34	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L36	94	L31 and "706".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L37	5	command same optim\$5 and L34	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L38	1568	operation\$3 near3 (choice select\$3) same (optimal optimizing)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L39	14	L38 and 717/151-161.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L40	33	L38 and "706".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51

EAST Search History

L41	22074	(selection rule reward) near3 command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L42	232	L41 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L43	112	optim\$5 and L42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L44	60	command near3 learn\$3 near3 (operation instruction)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L45	5	(selection rule reward) near3 command same optim\$5 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/16 10:51
L46	23	command same (program object) same ((self adj optimize) optimize optimization optimal) same learn\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51
L48	240	learning adj (instruction operation) and "706".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 10:51